# **SRE 1330 TC-2 HEATER**



## **Product data sheet**

Product range	Portable heaters
Product line	Laser
Brand name	Tectro
Model name	SRE 1330 TC-2
Colour	Black
EAN code	8713508773483

**Technical specifications** 

Burner type	Electronic Injection Burning System (BI)	
Capacity	kW	1.08 - 3.0
Suitable space	m²	20 - 48
	m <sup>3</sup>	48 - 120
Fuel consumption	ltr/hr	0.113 - 0.313
	g/hr	90 - 250
Tank capacity	ltr	5.0
Autonomy	hr	16 - 44
Mains	V / Hz	230 / 50
Power consumption start	W	335
Power consumption burning	W	78 - 123
Noise level (low-high)	dB(A)	28 - 35
Dimensions (w x d x h) *	mm	371 x 299 x 429
Weight	kg	7.7
Guarantee	years	2

<sup>\*</sup> including base plate


# **Accessories**

Instructions for use Transportation cap











Gross = 9.2 kg

# Most important spare parts

Description	Model	EAN Code
Removable fuel tank		
Transportation cap		
Fuel Filter		
Easy touch screw cap		



# **SRE 1330 TC-2 HEATER**

#### AUTOMATIC EXTENSION MODE

Automatic extension mode

**TIP-OVER** 

Automatic tip-over switch

**DAY TIMER** 

Day timer

**FUZZY LOGIC** 

Fuzzy Logic

FREEZING PREVENTION

Freezing prevention

CHILD PROOF LOCK

Child proof lock

ROOM TEMPERATURE THERMISTOR

Room temperature thermistor

### **Features**

**High-tech burner:** This heater is equipped with a burner system that heats up extremely quick and very gradual. This gives a more comfortable heating sensation.

**Fuzzy logic:** This heater is equipped with a self-regulating temperature control system. The heating mode can be set according to the requirements.

**Semi-automatic operation:** This heater is equipped with a 24-hour programmable timer and integrated thermostatic control to maintain the desired room temperature.

**Wickless design:** Provides clean and economical heating without wick maintenance or replacement.

**Information display:** The digital displays helps to keep track of all the important heater functions.

**Safety devices:** This heater is equipped with a combustion quality sensor, an over-heat protector, a tip-over switch, a safe top and a burner thermistor for safe heating.

**Safety system:** This heater is fitted with a safety system that automatically switches off the heater after approximately 36 hours of continuous operation. Use the safety stop to switch off the heater immediately.

**Childproof lock:** When this button is pressed, the operation of buttons will be blocked, except the on/off button.

**Clean grip screw cap:** A new way to easily mount the removable fuel tank cap without touching the tank directly.

**Automatic airflow control:** The speed of the built-in fan is self-regulatory, depending on the burning mode of the heater.

**Automatic extension operation mode:** When the fuel tank is almost empty, the display will show that the tank has to be refilled. The extension operation mode is activated and the heater switches to the lowest burning mode for more than one hour.

**Large autonomie:** The large 5.0 I fuel tank is good for up to 44h of pleasant heat.

**Additional heat output:** All consumed electric energy is emitted in the room to be heated.

**Anti-odeur system:** The perfectly balanced heating system burns almost 100% of all fumes and gasses throughout the complete combustion process (start up - heating - cooling down). The result is a comfortable heating experience without unpleasant odours.

**Quiet operation:** When heating the room, the device produces only a limited amount of sound. Also in the start up phase, the heater produces very little sound.

**Recyclability:** Over 90% of the heater can be recycled.

**Made in Japan:** This heater has been produced according to the ISO 9000:2000 Quality Control Standard.

SAFETY STOP

Safety stop

Made in Japan

MADE IN JAPAN