


DIN 84 (10/1970) *

EN 1207 (09/1996) **

CHEESE HEAD SCREW SLOTTED
METAALSCROEF CILINDRISCHE KOP MET ZAAGGLEUF
VIS A METAUX TÊTE CYLINDRIQUE FENDUE
ZYLINDERSCHRAUBE MIT SCHLITZ



material : Steel class 4.8	materiaal : Staal klasse 4.8	matière : Acier classe 4.8	Werkstoff : Stahl Klasse 4.8
type : Standard	type : Standaard	type : Standard	Typ : Normalmaß
surface : zinc plated Cr3+	oppervlak : verzinkt Cr3+	surface : zingué Cr3+	Oberfläche : verzinkt Cr3+

* Cancelled since 09/1996 ** Nearly identical
 * Vervallen vanaf 09/1996 ** Verregaand uitwisselbaar
 * Retiré à partir de 09/1996 ** Presque identique
 * Storniert ab 09/1996 ** Weitgehend austauschbar


Technical properties - Technische gegevens - Données techniques - Technische Daten

M	b1	dk max.	k max.	n max.	t max.
M 3	19	5.5	2	1	1.15
M 4	22	7	2.6	1.2	1.5
M 5	25	8.5	3.3	1.51	1.8
M 6	28	10	3.9	1.91	2.2
M 8	34	13	5	2.31	2.6

M x l	ART. CODE	EAN	BOX
M 3 x 6	000084001003000063	5410439016810	200
M 3 x 8	000084001003000083	5410439016841	200
M 3 x 10	000084001003000103	5410439016889	200
M 3 x 12	000084001003000123	5410439016919	200
M 3 x 16	000084001003000163	5410439016957	200
M 3 x 20	000084001003000203	5410439016995	200
M 3 x 25	000084001003000253	5410439017039	200
M 3 x 30	000084001003000303	5410439017077	200
M 3 x 35	000084001003000353	5410439017091	200
M 3 x 40	000084001003000403	5410439017121	200
M 3 x 50	000084001003000503	54104390306515	200
M 4 x 6	000084001004000063	5410439017152	200
M 4 x 8	000084001004000083	5410439017183	200
M 4 x 10	000084001004000103	5410439017220	200
M 4 x 12	000084001004000123	5410439017268	200
M 4 x 16	000084001004000163	5410439017305	200
M 4 x 20	000084001004000203	5410439017343	200
M 4 x 25	000084001004000253	5410439017381	200
M 4 x 30	000084001004000303	5410439017428	200
M 4 x 35	000084001004000353	5410439017442	200
M 4 x 40	000084001004000403	5410439017473	200
M 4 x 45	000084001004000453	5410439017497	200
M 4 x 50	000084001004000503	5410439017527	200
M 4 x 60	000084001004000603	5410439017534	200
M 4 x 70	000084001004000703	5410439172370	200

M x l	ART. CODE	EAN	BOX
M 5 x 8	000084001005000083	5410439017565	200
M 5 x 10	000084001005000103	5410439017602	200
M 5 x 12	000084001005000123	5410439017633	200
M 5 x 16	000084001005000163	5410439017671	200
M 5 x 20	000084001005000203	5410439017718	200
M 5 x 25	000084001005000253	5410439017756	200
M 5 x 30	000084001005000303	5410439017800	200
M 5 x 35	000084001005000353	5410439017824	200
M 5 x 40	000084001005000403	5410439017855	200
M 5 x 45	000084001005000453	5410439017879	200
M 5 x 50	000084001005000503	5410439017909	200
M 5 x 60	000084001005000603	5410439017923	200
M 5 x 70	000084001005000703	5410439217415	200
M 5 x 80	000084001005000803	5410439217422	200
M 6 x 8	000084001006000083	5410439017961	200
M 6 x 10	000084001006000103	5410439018005	200
M 6 x 12	000084001006000123	5410439018036	200
M 6 x 16	000084001006000163	5410439018074	200
M 6 x 20	000084001006000203	5410439018111	200
M 6 x 25	000084001006000253	5410439018159	200
M 6 x 30	000084001006000303	5410439018203	200
M 6 x 35	000084001006000353	5410439018227	200
M 6 x 40	000084001006000403	5410439018265	200
M 6 x 45	000084001006000453	5410439018289	200
M 6 x 50	000084001006000503	5410439018319	200

4.8



material : Steel class 4.8 type : Standard surface : zinc plated Cr3+	materiaal : Staal klasse 4.8 type : Standaard oppervlak : verzinkt Cr3+	matière : Acier classe 4.8 type : Standard surface : zingué Cr3+	Werkstoff : Stahl Klasse 4.8 Typ : Normalmaß Oberfläche : verzinkt Cr3+
--	--	---	--

M x l	ART. CODE	EAN	BOX
M 6 x 60	000084001006000603	5410439018333	200
M 6 x 70	000084001006000703	5410439217439	200
M 6 x 80	000084001006000803	5410439217446	200
M 8 x 20	000084001008000203	5410439018456	200


M x l	ART. CODE	EAN	BOX
M 8 x 25	000084001008000253	5410439018487	200
M 8 x 30	000084001008000303	5410439018517	200
M 8 x 40	000084001008000403	5410439018562	200
M 8 x 50	000084001008000503	5410439018593	100

C

DIN 84 (10/1970) *

EN 1207 (09/1996) **

CHEESE HEAD SCREW SLOTTED
METAALSCROEF CILINDRISCHE KOP MET ZAAGGLEUF
VIS A METAUX TÊTE CYLINDRIQUE FENDUE
ZYLINDERSCHRAUBE MIT SCHLITZ



material : Stainless steel A2	materiaal : Roestvast staal A2	matière : inox A2	Werkstoff : Edelstahl A2
type : Standard	type : Standaard	type : Standard	Typ : Normalmaß
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh


* Cancelled since 09/1996 ** Nearly identical
 * Vervallen vanaf 09/1996 ** Verregaand uitwisselbaar
 * Retiré à partir de 09/1996 ** Presque identique
 * Storniert ab 09/1996 ** Weitgehend austauschbar

Technical properties - Technische gegevens - Données techniques - Technische Daten

M	b1	dk max.	k max.	n max.	t max.
M 3	19	5.5	2	1	1.15
M 4	22	7	2.6	1.2	1.5
M 5	25	8.5	3.3	1.51	1.8
M 6	28	10	3.9	1.91	2.2

M x l	ART. CODE	EAN	BOX
M 3 x 4	000084A00003000043	5410439098465	200
M 3 x 6	000084A00003000063	5410439016797	200
M 3 x 8	000084A00003000083	5410439016827	200
M 3 x 10	000084A00003000103	5410439016858	200
M 3 x 12	000084A00003000123	5410439016896	200
M 3 x 16	000084A00003000163	5410439016926	200
M 3 x 20	000084A00003000203	5410439016964	200
M 3 x 25	000084A00003000253	5410439017008	200
M 3 x 30	000084A00003000303	5410439017046	200
M 3 x 35	000084A00003000353	5410439017084	200
M 3 x 40	000084A00003000403	5410439017107	200
M 3 x 50	000084A00003000503	5410439209052	200
M 4 x 6	000084A00004000063	5410439017138	200
M 4 x 8	000084A00004000083	5410439017169	200
M 4 x 10	000084A00004000103	5410439017190	200
M 4 x 12	000084A00004000123	5410439017237	200
M 4 x 16	000084A00004000163	5410439017275	200
M 4 x 20	000084A00004000203	5410439017312	200
M 4 x 25	000084A00004000253	5410439017350	200
M 4 x 30	000084A00004000303	5410439017398	200
M 4 x 35	000084A00004000353	5410439017435	200
M 4 x 40	000084A00004000403	5410439017459	200
M 4 x 45	000084A00004000453	5410439017480	200
M 4 x 50	000084A00004000503	5410439017503	200
M 4 x 60	000084A00004000603	5410439098472	200
M 5 x 6	000084A00005000063	5410439102131	200

M x l	ART. CODE	EAN	BOX
M 5 x 8	000084A00005000083	5410439017541	200
M 5 x 10	000084A00005000103	5410439017572	200
M 5 x 12	000084A00005000123	5410439017619	200
M 5 x 16	000084A00005000163	5410439017640	200
M 5 x 20	000084A00005000203	5410439017688	200
M 5 x 25	000084A00005000253	5410439017725	200
M 5 x 30	000084A00005000303	5410439017763	200
M 5 x 35	000084A00005000353	5410439017817	200
M 5 x 40	000084A00005000403	5410439017831	200
M 5 x 45	000084A00005000453	5410439017862	200
M 5 x 50	000084A00005000503	5410439017886	200
M 5 x 60	000084A00005000603	5410439017916	200
M 5 x 70	000084A00005000703	5410439017930	200
M 5 x 80	000084A00005000803	5410439017947	200
M 6 x 8	000084A00006000083	5410439017954	200
M 6 x 10	000084A00006000103	5410439017978	200
M 6 x 12	000084A00006000123	5410439018012	200
M 6 x 16	000084A00006000163	5410439018043	200
M 6 x 20	000084A00006000203	5410439018081	200
M 6 x 25	000084A00006000253	5410439018128	200
M 6 x 30	000084A00006000303	5410439018166	200
M 6 x 35	000084A00006000353	5410439018210	200
M 6 x 40	000084A00006000403	5410439018234	200
M 6 x 45	000084A00006000453	5410439018272	200
M 6 x 50	000084A00006000503	5410439018296	200
M 6 x 60	000084A00006000603	5410439018326	200



material : Stainless steel A2 type : Standard surface : plain	materiaal : Roestvast staal A2 type : Standaard oppervlak : blank	matière : inox A2 type : Standard surface : brut	Werkstoff : Edelstahl A2 Typ : Normalmaß Oberfläche : roh
--	--	---	--

M x l	ART. CODE	EAN	BOX
M 6 x 70	000084A00006000703	5410439018340	200
M 6 x 80	000084A00006000803	5410439018357	200

M x l	ART. CODE	EAN	BOX
M 6 x 100	000084A00006001003	5410439018371	200

C

DIN 84 (10/1970) *


EN 1207 (09/1996) **

CHEESE HEAD SCREW SLOTTED

METAALSCHROEF CILINDRISCHE KOP MET ZAAGGLEUF

VIS A METAUX TÊTE CYLINDRIQUE FENDUE

ZYLINDERSCHRAUBE MIT SCHLITZ



material : Nylon PA6	materiaal : Nylon PA6	matière : Nylon PA6	Werkstoff : Nylon PA6
type : Standard	type : Standaard	type : Standard	Typ : Normalmaß
surface : natural colour	oppervlak : natuurkleur	surface : couleur naturel	Oberfläche : naturel

* Cancelled since 09/1996 ** Nearly identical
 * Vervallen vanaf 09/1996 ** Verregaand uitwisselbaar
 * Retiré à partir de 09/1996 ** Presque identique
 * Storniert ab 09/1996 ** Weitgehend austauschbar

Technical properties - Technische gegevens - Données techniques - Technische Daten

M	b1	dk max.	k max.	n max.	t max.
M 3	19	5.5	2	1	1.15
M 4	22	7	2.6	1.2	1.5
M 5	25	8.5	3.3	1.51	1.8
M 6	28	10	3.9	1.91	2.2
M 8	34	13	5	2.31	2.6

M x l	ART. CODE	EAN	BOX
M 3 x 6	000084N00003000065	5410439153362	200
M 3 x 8	000084N00003000085	5410439153379	200
M 3 x 10	000084N00003000105	5410439016872	200
M 3 x 16	000084N00003000165	5410439016940	200
M 3 x 20	000084N00003000205	5410439016988	200
M 3 x 25	000084N00003000255	5410439017022	200
M 3 x 30	000084N00003000305	5410439017060	200
M 4 x 10	000084N00004000105	5410439017213	200
M 4 x 12	000084N00004000125	5410439017251	200
M 4 x 16	000084N00004000165	5410439017299	200
M 4 x 20	000084N00004000205	5410439017336	200
M 4 x 25	000084N00004000255	5410439017374	200
M 4 x 30	000084N00004000305	5410439017411	200
M 5 x 10	000084N00005000105	5410439017596	200
M 5 x 12	000084N00005000125	5410439153416	200
M 5 x 16	000084N00005000165	5410439017664	200
M 5 x 20	000084N00005000205	5410439017701	200

M x l	ART. CODE	EAN	BOX
M 5 x 25	000084N00005000255	5410439017749	200
M 5 x 30	000084N00005000305	5410439017794	200
M 5 x 40	000084N00005000405	5410439153430	200
M 5 x 50	000084N00005000505	5410439153447	200
M 6 x 10	000084N00006000105	5410439017992	200
M 6 x 12	000084N00006000125	5410439153454	200
M 6 x 16	000084N00006000165	5410439018067	200
M 6 x 20	000084N00006000205	5410439018104	200
M 6 x 25	000084N00006000255	5410439018142	200
M 6 x 30	000084N00006000305	5410439018197	200
M 6 x 40	000084N00006000405	5410439018258	200
M 6 x 50	000084N00006000505	5410439153478	200
M 8 x 16	000084N00008000165	5410439018418	200
M 8 x 20	000084N00008000205	5410439018449	200
M 8 x 25	000084N00008000255	5410439018470	200
M 8 x 30	000084N00008000305	5410439018500	200
M 8 x 40	000084N00008000405	5410439018555	200